EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	interrupt$2 near4 (co?process$3) near4 (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:45
S2	1	(interrupt$2 near4 (co?process$3)) with (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S3	1	(interrupt$2 near4 (co?process$3)) same (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S4	1	(interrupt$2 near4 (co?process$3)) and (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 15:44
S5	5	interrupt$2 near4 (co?process$3) near4 register$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:48
S6	4876	(interrupt$1 near4 (control$4 or arbit$3 or rout$3 or APIC)) same (interrupt$1 near4 register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:50
S7	606	(interrupt$1 near4 (control$4 or arbit$3 or rout$3 or APIC)) same (interrupt$1 adj1 register$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/04 16:50
S8	297	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:45
S9	487	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:45
S10	56	((speculat$5 or predict$5) near4 issu$3) with (pipelin$3 near4 stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:55
S11	2	((speculat$5 or predict$5) near4 result$1) with (pipelin$3 near4 stag$3) with (availab$5 or ready or finish$3 or complet$3 or done)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:57

S12	512	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:57
S13	5	((speculat$5 or predict$5) near4 result$1) with (forward$3 or bypass$3) with (pipelin$3 near4 stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S14	29453	((speculat$5 or predict$5) near4 result$1) sane ((forward$3 or bypass$3) with (pipelin$3 near4 stag$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S15	17	((speculat$5 or predict$5) near4 result$1) same ((forward$3 or bypass$3) with (pipelin$3 near4 stag$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/04/28 11:59
S16	528	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S17	300	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:47
S18	494	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S19	15	confidence near4 valu$2 near4 issu$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:48
S20	1	interrupt$2 near4 (co?process$3) near4 (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S21	1	(interrupt$2 near4 (co?process$3)) with (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S22	1	(interrupt$2 near4 (co?process$3)) same (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S23	1	(interrupt$2 near4 (co?process$3)) and (pseudo?instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49

S24	5	interrupt$2 near4 (co?process$3) near4 register$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S25	2	((speculat$5 or predict$5) near4 result$1) with (pipelin$3 near4 stag$3) with (availab$5 or ready or finish$3 or complet$3 or done)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:49
S26	5	((speculat$5 or predict$5) near4 result$1) with (forward$3 or bypass$3) with (pipelin$3 near4 stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:50
S27	17	((speculat$5 or predict$5) near4 result$1) same ((forward$3 or bypass$3) with (pipelin$3 near4 stag$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:50
S28	7	(("5872947") or ("5964867") or ("5923862") or ("6360315") or ("6144982") or ("6393550") or ("5958041")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/23 14:54
S29	557	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 11:58
S30	329	(712/214).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 13:20
S31	515	(712/215).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 11:59
S32	1	(predict$3 near4 operand$1 near4 (availab$5 or read$5 or free or result$3)) with (pipeline near4 stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:01
S33	10	(predict$3 with operand$1 with (availab$5 or read$5 or free or result$3)) with (pipeline near4 stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:03
S34	16	(predict$3 with operand$1 with (availab$5 or read$5 or free or result$3)) same (pipeline near4 stag$3)	US-PGPUB; USPAT	OR	OFF	2006/12/06 12:06
S35	17	(predict$3 with operand$1 with (availab$5 or read$5 or free or result$3)) same (pipeline with stag$3)	US-PGPUB; USPAT	OR	OFF	2006/12/06 12:07

EAST Search History

S36	4	(predict$3 same operand$1 same (availab$5 or read$5 or free or result$3)) same (pipeline same stag$3)	EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:09
S37	114	(predict$3 same operand$1 same (availab$5 or read$5 or free or result$3)) same (pipeline same stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:09
S38	3	((predict$3 with operand$1) near4 (availab$5 or read$5 or free or result$3)) same (pipeline same stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:11
S39	7	((predict$3 near4 operand$1) with (availab$5 or read$5 or free or result$3)) same (pipeline with stag$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 12:29
S40	3	((predict$3 near4 operand$1) with (availab$5 or read$5 or free or result$3)) same (confidence)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 13:22
S41	0	(predict$3 with stage with result with confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:22
S42	1	(predict$3 same stage same result same confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:24
S43	1	(predict$3 same dependent same result same confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:24
S44	3	(predict$3 and stage and result and confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:25
S45	5	(predict$3 and dependent and result and confidence).clm.	US-PGPUB	OR	OFF	2006/12/06 13:33
S46	2	(Jones).in. and (Prime).as.	US-PGPUB; USPAT	OR	OFF	2006/12/06 13:28
S47	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict$5 or availab$5)).ti.	US-PGPUB	OR	OFF	2006/12/06 13:36
S48	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict$5 or availab$5))	US-PGPUB	OR	OFF	2006/12/06 13:35
S49	0	((Ellis-R).xa. or (Ellis-R)".xp") and (Operand and (predict$5 or availab$5))	US-PGPUB	OR	OFF	2006/12/06 13:35
S50	0	((Ellis-R).xa. or (Ellis-R).xp.) and (Operand and (predict$5 or availab$5))	US-PGPUB	OR	OFF	2006/12/06 13:35

EAST Search History

S51	18	(Ellis) and (Operand and (predict$5 or availab$5))	US-PGPUB	OR	OFF	2006/12/06 13:36
S52	405	(Ellis) and (Operand and (predict$5 or availab$5))	US-PGPUB; USPAT	OR	OFF	2006/12/06 13:36
S53	0	((Ellis-R).xa. or (Ellis-R).xp. or (Donohue-L).xa. or (Donohue-L).xp.) and (Operand and (predict$5 or availab$5)).ti.	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:30
S54	3	((Ellis$).xa. or (Ellis$).xp. or (Donaghue$).xa. or (Donaghue$).xp.) and (predict$3 and future and availab$5).ti.	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:43
S55	85	((Ellis$).xa. or (Ellis$).xp.) and (operand$1 with availab$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S56	73	((Ellis-R$).xa. or (Ellis-R$).xp.) and (operand$1 with availab$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S57	73	((Ellis-Richard$).xa. or (Ellis-Richard$).xp.) and (operand$1 with availab$5)	US-PGPUB; USPAT	OR	OFF	2006/12/06 15:44
S58	344	(712/214).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:20
S59	519	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:20
S60	572	(712/218).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:51
S61	1	("20050060518").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/21 13:51
S62	12503	(confidence$1 or probabilit$3 or predict$3) near4 data near4 (availab$6 or read$5 or us$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:10
S63	3639	(confidence$1 or probabilit$3) near4 data near4 (availab$6 or read$5 or us$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:11
S64	271	(confidence$1 or probabilit$3) near4 data near4 availab$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:12
S65	0	((confidence$1 or probabilit$3) near4 data near4 availab$6) with (dependen$4 near4 instruction$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:12
S66	1	(confidence$1 or probabilit$3) near4 data near4 availab$6 near4 dependen$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:13

S67	5	(confidence$1 or probabilit$3) with data with availab$6 with dependen$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:16
S68	22	(confidence$1 or probabilit$3) same (data with availab$6 with dependen$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:22
S69	1	("7145607").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:22
S70	1	("7146607").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:23
S71	1	("20040194074").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/21 14:23
S72	33	(multi?thread$3 or thread$3) near4 (instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:29
S73	1	(multi?thread$3 or thread$3) near4 (instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (confidence$1 or probabilit$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:29
S74	0	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) with ((instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (confidence$1 or probabilit$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S75	0	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) same ((instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (confidence$1 or probabilit$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S76	1	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (confidence$1 or probabilit$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30

S77	1	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (confidence$1 or probabilit$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:30
S78	9	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) with ((instruction$1) near4 (stall$3 or halt$3 or bubble$1 or stop$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:32
S79	0	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) with ((instruction$1 near4 issu$6) near4 (stall$3 or halt$3 or bubble$1 or stop$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:33
S80	2	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) same ((instruction$1 near4 issu$6) near4 (stall$3 or halt$3 or bubble$1 or stop$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:34
S81	135	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) near4 (stall$3 or halt$3 or bubble$1 or stop$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:34
S82	3	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) near4 (stall$3 or halt$3 or bubble$1 or stop$5) near4 (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S83	4	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) with (stall$3 or halt$3 or bubble$1 or stop$5) with (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S84	56	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) with (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:35
S85	34	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) near4 (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:06
S86	3	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) same ((instruction$1 near4 issu$6) near4 (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:37

S87	5	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) same ((instruction$1 near4 issu$6) with (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:45
S88	25	((multi?thread$3 or thread$3)) same ((instruction$1 near4 issu$6) with (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/27 13:46
S89	2	((augsburg-victor$) and (bridges-jeff$) and (mcilvaine-michael$) and (sartorius-thomas$) and (smith-rodney$)).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/03/28 21:49
S90	371	(712/214).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S91	534	(712/215).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S92	596	(712/218).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:06
S93	39	(multi?thread$3 or thread$3) near4 (instruction$1 near4 issu$5) near4 (stall$3 or halt$3 or bubble$1 or stop$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S94	31	((multi?thread$3 or thread$3)) same ((instruction$1 near4 issu$6) with (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S95	38	((multi?thread$3 or thread$3) near4 (simultaneous$2 or parallel$1)) and ((instruction$1 near4 issu$6) near4 (data near4 dependen$5))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:07
S96	0	instruction$1 near4 probabilit$4 near4 percent$4 near4 stall$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:28
S97	0	(instruction$1 near4 probabilit$4 near4 percent$4 near4 stall$3).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:28
S98	0	(instruction$1 near4 probabilit$4 near4 percent$4 near4 stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:28
S99	0	(instruction$1 with probabilit$4 with percent$4 with stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:29
S10 0	0	(instruction$1 with probabilit$4 with percent$4 with stall$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:29

EAST Search History

S10 1	2	(instruction$1 same probabilit$4 same percent$4 same stall$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:35
S10 2	0	(instruction$1 same probabilit$4 same percent$4 same stall$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:35
S10 3	0	(probabilit$4 same percent$4 same stall$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:40
S10 4	14	(probabilit$4 same percent$4 same stall$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:41
S10 5	0	(probabilit$4 same percent$4 same stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S10 6	0	(probabilit$4 same percent$4 same stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:40
S10 7	14	(chance$1 same percent$4 same stall$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:42
S10 8	0	(chance$1 same percent$4 same stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S10 9	0	(probabilit$4 and percent$4 and stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:42
S11 0	112	(chance$1\ and percent$4 and stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:07
S11 1	1	(chance$1 and percent$4 and stall$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:43
S11 2	2	(chance$1 and percent$4 and bubbl$3).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 17:46
S11 3	5682	(chance$1 and percent$4 and bubbl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46

EAST Search History

S11 4	96	(chance$1 same percent$4 same bubbl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 5	0	(chance$1 same percent$4 same bubbl$3 same instruction$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 6	0	(probabilit$3 same percent$4 same bubbl$3 same instruction$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:46
S11 7	51	(probabilit$3 same percent$4 same bubbl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:47
S11 8	0	(probabilit$3 with percent$4 with bubbl$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 17:47
S11 9	5	(confidence$1 or probabilit$3) with data with availab$6 with dependen$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:02
S12 0	2	((confidence$1 or probabilit$3) with data with availab$6 with dependen$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:02
S12 1	4	((confidence$1 or probabilit$3) same data same availab$6 same dependen$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 2	267	((confidence$1 or probabilit$3) same data same availab$6 same dependen$4)	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 3	24	((confidence$1 or probabilit$3) same (data with availab$6 with dependen$4))	US-PGPUB; USPAT	OR	OFF	2007/09/13 19:03
S12 4	26	((confidence$1 or probabilit$3) same (data with availab$6 with dependen$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:03

S12 5	526	(712/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:08
S12 6	577	(712/217).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/09/13 19:08